Name of Work Providing Paint and wall tiles for panchakarma treatment room 16 and 17 <u>TENDER SHEDULE</u>

Item no	Quanti ty	Description of work	Unit	Quoted rate		Amount
				In figure	To one of the	Rs.
				Rs.	In words	
1	2	3	4	5	6	7
1	16.266 sqm	13.88 Removing white or colour wash by scrapping and sand papering and preparingthe surface smooth including necessary repairs to scratches etc. complete	sqm			
2	82.753 sqm	13.87.1 White washing with lime to give an even shade :Old work (two or more coats)	sqm			
3	82.753 sqm	13.83.2 Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile including applying additional coats wherever required to achieve even shade and colour.Two coats	sqm			

CONTRACTOR CHIEF EXECUTIVE OFFICER

Item no	Quanti ty	Description of work	Unit	Quoted rate		Amount	
				In figure	In words	Rs.	
				Rs.	III words		
1	2	3	4	5	6	7	
4	36.000 sqm	8.31 Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622(thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineerin-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cementmortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @3.3kg per sqm, including pointing in white cement mixed with pigment of matchingshade complete.	sqm				
5	0.500 sqm	od219267/2024_2025 Providing and laying vitrified rustic floor tiles in different sizes (thickness 10mm or nearest size) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20 mm thick cement mortar 1:4(1 cement: 4 coarse sand), including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 400 x 400 mm.	sqm				

CONTRACTOR CHIEF EXECUTIVE OFFICER

Item	Quanti ty	•	Unit	Quoted rate		Amount
no				In figure	In words	Rs.
110				Rs.	III WOLUS	143.
1	2	3	4	5	6	7
6	1.000 each	od219268/2024_2025 supplying and fixing 100 mm or nearest size PVC floor trap and stainless steel gratings(150mmx150mm) with all fittings, including cost and conveyance of all materials and labor charge etc.	each			
7	2.000 each	od219598/2024_2025 Engaging special labour for Roughing the existing plastered surface typically refers to the process of preparing or "scuffing" the surface to a better bonding surface for wall tiling Including charges etc.	each			
					GRAND TOTAL	

CONTRACTOR CHIEF EXECUTIVE OFFICER